

Periodic Table of the Elements

1A 1																	8A 18
1 H 1.008	2A 2											3A 13	4A 14	5A 15	6A 16	7A 17	2 He 4.00
3 Li 6.94	4 Be 9.01											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31	3B 3	4B 4	5B 5	6B 6	7B 7	8B 8	9B 9	10B 10	11B 11	12B 12	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.87	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.64	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.96	43 Tc (98)	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3
55 Cs 132.9	56 Ba 137.3	57 La 138.9	72 Hf 178.5	73 Ta 180.9	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (264)	108 Hs (277)	109 Mt (268)	110 Ds (281)	111 Rg (281)	112 Cn (285)	113 Nh (286)	114 Fl (289)	115 Mc (289)	116 Lv (293)	117 Ts (293)	118 Og (294)

58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm (145)	62 Sm 150.4	63 Eu 152.0	64 Gd 157.3	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)

constants

$R = 0.08206 \text{ L atm/mol K}$

$R = 8.314 \text{ J/mol K}$

$N_A = 6.022 \times 10^{23} \text{ /mol}$

$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$

$c = 3.00 \times 10^8 \text{ m/s}$

$g = 9.81 \text{ m/s}^2$

conversions

$1 \text{ atm} = 760 \text{ torr}$

$1 \text{ atm} = 101325 \text{ Pa}$

$1 \text{ atm} = 1.01325 \text{ bar}$

$1 \text{ bar} = 10^5 \text{ Pa}$

$^{\circ}\text{F} = ^{\circ}\text{C}(1.8) + 32$

$\text{K} = ^{\circ}\text{C} + 273.15$

conversions

$1 \text{ in} = 2.54 \text{ cm}$

$1 \text{ ft} = 12 \text{ in}$

$1 \text{ yd} = 3 \text{ ft}$

$1 \text{ mi} = 5280 \text{ ft}$

$1 \text{ lb} = 453.6 \text{ g}$

$1 \text{ ton} = 2000 \text{ lbs}$

$1 \text{ tonne} = 1000 \text{ kg}$

$1 \text{ gal} = 3.785 \text{ L}$

$1 \text{ gal} = 231 \text{ in}^3$

$1 \text{ gal} = 128 \text{ fl oz}$

$1 \text{ fl oz} = 29.57 \text{ mL}$

water data

$C_{s,\text{ice}} = 2.09 \text{ J/g } ^{\circ}\text{C}$

$C_{s,\text{water}} = 4.184 \text{ J/g } ^{\circ}\text{C}$

$C_{s,\text{steam}} = 2.03 \text{ J/g } ^{\circ}\text{C}$

$\rho_{\text{water}} = 1.00 \text{ g/mL}$

$\rho_{\text{ice}} = 0.9167 \text{ g/mL}$

$\rho_{\text{seawater}} = 1.024 \text{ g/mL}$

$\Delta H_{\text{fus}} = 334 \text{ J/g}$

$\Delta H_{\text{vap}} = 2260 \text{ J/g}$

$K_w = 1.0 \times 10^{-14}$

This exam should have 20 questions. The questions are equally weighted at 5 points each. Bubble in your answer choices on the bubblesheet provided. Your score is based on what you bubble on the bubblesheet and not what is circled on the exam. Double check all information on the bubblesheet before you turn it in.

1. In an experimental set up, a scientist places two equal masses of gold and silver into separate beakers with identical starting volumes of water. The density of gold is 19.3 g/cm^3 and the density of silver is 10.5 g/cm^3 . Which beaker will have the greater final volume?

- a. Gold
 - b. Silver
 - c. Both beakers will have equal final volumes
-

2. How many nitrogen atoms are present in a sample of 1.87 moles of nitrogen gas?

- a. 6.21×10^{-24}
 - b. 5.63×10^{23}
 - c. 1.13×10^{24}
 - d. 2.25×10^{24}
-

3. Carl was hot and decided to whip up a batch of Kool-Aid. He followed the instructions pouring the packet of Cherry Kool-Aid and a cup of sugar into two quarts of water. A perfect batch - nice and cherry red, everything dissolved nicely. Which of the following is the best description of Carl's cherry Kool-Aid?

- a. It's a heterogeneous mixture.
 - b. It's a homogeneous mixture
 - c. It's a compound.
 - d. It's an element.
 - e. It's a pure substance.
-

4. Which of the following best describes the purpose of the mole in chemistry?

- a. A mole is an arbitrary quantity, but it is easy to use for calculations.
 - b. A molecule is a packet of 6.022×10^{23} moles.
 - c. A molecule is an Avogadro's number worth of moles, which allows scientists to conveniently use amu to measure mass in the lab.
 - d. The mole is an Avogadro's number worth of elementary entities, which allows scientists to use macroscopic units (g/mol) with the atomic mass values on the periodic table.
-


5. Approximately 14.78 moles of an unknown metal weighs 398.76 g. What is the identity of this metal?

- a. Fe
 - b. Cu
 - c. Zn
 - d. Al
 - e. Mg
-

6. Nitrogen gas reacts with hydrogen gas to produce ammonia (NH_3). Write the balanced reaction for this process.

- a. $\text{N}_2(\text{g}) + \text{H}_2(\text{g}) \rightarrow \text{NH}_3(\text{g})$
 - b. $2\text{N}(\text{g}) + 3\text{H}_2(\text{g}) \rightarrow 2\text{NH}_3(\text{g})$
 - c. $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightarrow 2\text{NH}_3(\text{g})$
 - d. $3\text{N}_2(\text{g}) + 6\text{H}_2(\text{g}) \rightarrow 4\text{NH}_3(\text{g})$
 - e. $\text{N}(\text{g}) + 3\text{H}(\text{g}) \rightarrow \text{NH}_3(\text{g})$
-


7. Refer to the following balanced chemical reaction for the aqueous extraction of benzocaine, the active ingredient in cough drops and other mild topical anesthetics:



A pharmaceutical company attempts to mass produce cough drops by reacting 5.7 kg benzoate ($\text{C}_9\text{H}_{11}\text{NO}_2$, molar mass = 122 g/mol) with 5.7 kg nitric acid (HNO_3 , molar mass = 63 g/mol). Nitric acid is a very dangerous chemical that should be used with extreme caution. Is this recipe a good idea for mass producing cough drops? Why or why not?

- No, there is a dangerous chemical left in the cough drops.
 - Yes, the reactants were added in equal mole amounts so there is no excess reagent.
 - Yes, there is excess nitric acid but that does not matter.
 - No, there is excess benzoate left over.
-

8. Consider the balanced chemical reaction shown below:



What is the mass of Al_2O_3 necessary to form 6.00 moles of aluminum solid? The molar mass of Al_2O_3 is 101.96 g/mol.

- 306 g
 - 459 g
 - 204 g
 - 408 g
 - 556 g
-

9. Calculate the number of moles of carbon dioxide that are produced when 6.4 moles of methanol (CH_3OH) are burned with 7.8 moles of oxygen gas. You will need to write out the chemical equation and balance it on your own.

- 5.2 mol
 - 7.8 mol
 - 6.4 mol
 - 7.2 mol
 - 11.7 mol
-

10. Which of the following alkanes do you expect to have the largest molecular weight?

- butane
 - ethane
 - heptane
 - pentane
 - hexane
-

11. Which of the following substances do you expect to have the lowest density at room temperature?

- $\text{CH}_4(\text{g})$
 - $\text{H}_2\text{O}(\ell)$
 - $\text{Fe}(\text{s})$
 - $\text{CH}_3\text{OH}(\ell)$
 - $\text{CH}_3\text{CH}_2\text{OH}(\ell)$
-

12. Consider the following data for the elevations of four different cities:

Moab, UT: 4,026 ft

Flagstaff, AZ: 6,909 ft

New Orleans, LA: -1,500 ft

Estes Park, CO: 7,522 ft

Which city will have the lowest predicted atmospheric pressure?

- Estes Park
 - Moab
 - Flagstaff
 - New Orleans(ℓ)
-

13. What is a reasonable estimation for the percent of carbon dioxide in the troposphere?

- 0.04%
 - 12%
 - 3%
 - 40%
 - 66%
-

14. The gas known as the silent killer is the primary culprit in fatalities caused by the unsafe use of personal generators. This gas is produced by the incomplete combustion of a fuel. What gas is this?

- a. CO
 - b. CO₂
 - c. H₂O₂
 - d. NO_x
 - e. O₃
-

15. A sampling of air is taken in Houston on a typical warm humid day. Although there are many different gases in the sample, which of the following four gases are the top four in terms of percentage in the sample?

- a. H₂O, Ar, N₂, and O₂
 - b. H₂O, Ar, N₂, and O₃
 - c. H₂O, Ar, N₂, and CO₂
 - d. H₂O, CO₂, N₂, and O₂
 - e. H₂O, NO₂, N₂, and O₂
-

16. Which of the following is a pollutant that is not directly produced by combustion?

- a. O₃
 - b. CO₂
 - c. CO
 - d. NO_x
 - e. H₂O
-

17. A 40 L flexible container has a pressure of 32 psi. What is the pressure when the container is compressed to 23 L?

- a. 56 psi
 - b. 18 psi
 - c. 63 psi
 - d. 29 psi
 - e. 68 psi
-

18. What best describes the temperature of our atmosphere as altitude increases from sea level to the thermosphere?

- a. The atmospheric temperature steadily increases.
 - b. The atmospheric temperature steadily decreases.
 - c. The atmospheric temperature initially increases, then reverses in the middle of each atmospheric layer.
 - d. The atmospheric temperature initially decreases, but reverses trend several times in the pauses between atmospheric layers.
-

19. A hot air balloon must be expanded to a volume of 2800 m³ in order to sustain flight. If a deflated hot air balloon at 298 K occupies 2118 m³, what temperature is necessary to inflate the balloon enough to fly?

- a. 394 K
 - b. 225 K
 - c. 309 K
 - d. 591 K
 - e. 273 K
-

20. Calculate the volume that 3.96 moles of an ideal gas occupies at 2.94 atm and 37 °C.

- a. 4.09 L
 - b. 34.3 L
 - c. 3110 L
 - d. 45.9 L
 - e. 311 L
 - f. 35.6 L
-

Remember to bubble in ALL your answers BEFORE time is called. Double check your name, utetid, and version number before you turn in your bubblesheet. You must keep your exam for future reference. Please do not lose it. We will not replace it.