

Periodic Table of the Elements

1A 1																	8A 18
1 H 1.008	2A 2											3A 13	4A 14	5A 15	6A 16	7A 17	2 He 4.00
3 Li 6.94	4 Be 9.01											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31	3B 3	4B 4	5B 5	6B 6	7B 7	8B 8	9B 9	10B 10	1B 11	2B 12	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.87	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.64	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.96	43 Tc (98)	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3
55 Cs 132.9	56 Ba 137.3	57 La 138.9	72 Hf 178.5	73 Ta 180.9	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (264)	108 Hs (277)	109 Mt (268)	110 Ds (281)	111 Rg (281)	112 Cn (285)	113 Nh (286)	114 Fl (289)	115 Mc (289)	116 Lv (293)	117 Ts (293)	118 Og (294)

58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm (145)	62 Sm 150.4	63 Eu 152.0	64 Gd 157.3	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)

constants

$R = 0.08206 \text{ L atm/mol K}$

$R = 8.314 \text{ J/mol K}$

$N_A = 6.022 \times 10^{23} / \text{mol}$

$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$

$c = 3.00 \times 10^8 \text{ m/s}$

$g = 9.81 \text{ m/s}^2$

conversions

$1 \text{ atm} = 760 \text{ torr}$

$1 \text{ atm} = 101325 \text{ Pa}$

$1 \text{ atm} = 1.01325 \text{ bar}$

$1 \text{ bar} = 10^5 \text{ Pa}$

$^{\circ}\text{F} = ^{\circ}\text{C}(1.8) + 32$

$\text{K} = ^{\circ}\text{C} + 273.15$

conversions

$1 \text{ in} = 2.54 \text{ cm}$

$1 \text{ ft} = 12 \text{ in}$

$1 \text{ yd} = 3 \text{ ft}$

$1 \text{ mi} = 5280 \text{ ft}$

$1 \text{ lb} = 453.6 \text{ g}$

$1 \text{ ton} = 2000 \text{ lbs}$

$1 \text{ tonne} = 1000 \text{ kg}$

$1 \text{ gal} = 3.785 \text{ L}$

$1 \text{ gal} = 231 \text{ in}^3$

$1 \text{ gal} = 128 \text{ fl oz}$

$1 \text{ fl oz} = 29.57 \text{ mL}$

water data

$C_{s,\text{ice}} = 2.09 \text{ J/g } ^{\circ}\text{C}$

$C_{s,\text{water}} = 4.184 \text{ J/g } ^{\circ}\text{C}$

$C_{s,\text{steam}} = 2.03 \text{ J/g } ^{\circ}\text{C}$

$\rho_{\text{water}} = 1.00 \text{ g/mL}$

$\rho_{\text{ice}} = 0.9167 \text{ g/mL}$

$\rho_{\text{seawater}} = 1.024 \text{ g/mL}$

$\Delta H_{\text{fus}} = 334 \text{ J/g}$

$\Delta H_{\text{vap}} = 2260 \text{ J/g}$

$K_w = 1.0 \times 10^{-14}$

This exam should have 20 questions. The questions are equally weighted at 5 points each. Bubble in your answer choices on the bubblesheet provided. Your score is based on what you bubble on the bubblesheet and not what is circled on the exam. Double check all information on the bubblesheet before you turn it in.

1. Solution A has a hydronium ion concentration, $[\text{H}_3\text{O}^+]$, that is one thousand times higher than Solution B at identical temperature and pressure. Which of the following statements must be true?

- a. Solution A has a pH that is 3 units less than Solution B.
 - b. Solution A has a pH that is 3 units greater than Solution B.
 - c. Solution A has a pH that is 1/1000 times that of Solution B.
 - d. Solution A can have the same pH as Solution B.
-

2. Identify the conjugate base of formic acid, HCOOH ?

- a. H_2O
 - b. H_3O^+
 - c. OH^-
 - d. HCOO^-
 - e. COO^{2-}
-


3. Calculate the pOH of 0.012 M $\text{Ba}(\text{OH})_2$.

- a. 1.62
 - b. 12.4
 - c. 1.92
 - d. 12.1
 - e. 2.34
-

4. Select the set of compounds which contains NO strong acids.

- a. $\text{Ca}(\text{OH})_2$, HI, CH_3COOH
 - b. CH_3COOH , HNO_3 , CaCO_3
 - c. $\text{Ca}(\text{OH})_2$, HF, CH_3COOH
 - d. CaCO_3 , NaCl, HCl
 - e. HBr, HClO_4 , CaCO_3
-

5. When a person hyperventilates, the primary problem is not that they are inhaling too much oxygen. Rather, they are exhaling too much carbon dioxide, which can affect blood pH. The process of carbon dioxide dissolving in blood and dissociating as carbonic acid is shown in the steps below:



Select the answer that best describes the effect of exhaling too much carbon dioxide.

- a. blood pH increases
 - b. blood pH decreases
-

6. A salon wants to neutralize 55.0 gallons of water that have become contaminated with facial peel acids, resulting in a pH of 3.25. What volume of 0.015 M NaOH solution are needed to neutralize the acidic waste?

- a. 3.09 gal
 - b. 0.0375 gal
 - c. 1.6×10^{-8} gal
 - d. 2.06 gal
 - e. $1 \times 10^{-3.25}$ gallons
-

7. A 0.020 M solution of citric acid has a pH of 2.46. A 0.020 M solution of ascorbic acid has a pH of 2.93. Which of these is the stronger acid?

- a. citric acid
 - b. ascorbic acid
 - c. You cannot tell from the information provided.
-


8. Calculate the pH of a 0.0337 M HNO_3 solution.

- a. 1.472
 - b. 0.0337
 - c. 5.599
 - d. 0.925
 - e. 8.529
-

9. How does water dissolve an ionic compound?

- The polarity of water allows the negative pole to surround cations and the positive pole to surround anions.
 - The polarity of water allows the negative pole to surround anions and the positive pole to surround cations.
 - The nonpolar nature of water allows the water molecules to surround a full ionic compound without separating the charged ions.
 - The nonpolar nature of water allows the water molecules to dissociate ionic compounds and non-selectively surround anions and cations.
-

10. Water is amphiprotic, which means it can act as an acid and a base. Consider the following reaction:



Is water acting as an acid or a base in this reaction?

- base
 - acid
 - neither
-

11. A titration is performed by adding a strong acid to fully neutralize a weak base analyte. The titration is run exactly to the equivalence point (where there are equal moles of the strong acid added and the initial weak base solution). What is the generic reaction for this experiment?

- Strong Acid + Weak Base \rightarrow Weak Acid + Water
 - Strong Acid + Weak Base \rightarrow Weak Base + Water
 - Strong Acid + Weak Base \rightarrow Strong Acid + Water
 - Strong Acid + Weak Base \rightarrow Strong Base + Water
-

12. What is the $[\text{OH}^-]$ of an aqueous solution if $[\text{H}_3\text{O}^+] = 3.31 \times 10^{-4} \text{ M}$?

- $3.02 \times 10^{-11} \text{ M}$
 - $3.31 \times 10^{-4} \text{ M}$
 - $3.31 \times 10^{-18} \text{ M}$
 - $3.02 \times 10^{10} \text{ M}$
 - $6.12 \times 10^{10} \text{ M}$
-

13. Which of the following pH values is slightly acidic but still capable of sustaining the majority of aquatic life?

- pH = 6.6
 - pH = 7.0
 - pH = 8.6
 - pH = 2.7
 - pH = 11.9
-

14. Assume that each of the following bases are mixed at the same concentration of 0.05 mol/L. Which one will give the most basic solution?

ammonia, $K_b = 1.8 \times 10^{-5}$

hydrazine, $K_b = 1.7 \times 10^{-6}$

methylamine, $K_b = 1.7 \times 10^{-9}$

ethylamine, $K_b = 5.6 \times 10^{-4}$

- ethylamine
 - ammonia
 - hydrazine
 - methylamine
 - All solutions have the same concentration and will therefore have the same basicity.
-

15. A weak acid, HA, has a 2.5% ionization in a 0.10 M solution. What is the pH of this solution?

- 0.0025
 - 2.60
 - 1.00
 - 2.12
 - 5.24
 - 3.38
-

16. When pure water is carbonated with CO_2 gas the pH tends to rise slightly above 7 due to the alkaline nature of carbonate.

- true
 - false
-

17. The K_a for nitrous acid (HNO_2) is 4.0×10^{-4} . What is the K_b for nitrite, NO_2^- ?

- a. 4.0×10^{-18}
 - b. 2.0×10^{-8}
 - c. 2.5×10^{-11}
 - d. 5.2×10^{-10}
 - e. 2.5×10^3
-

18. Most weak acids and weak bases fall into which range of ionization given below when they are dissolved into water?

- a. 10% to 20%
 - b. 1% or less
 - c. 30% to 50%
 - d. just below 100%
 - e. 60% to 75%
-

19. When writing out the expression for an equilibrium constant, which of the species listed are left *out* of the expression?

- a. gases
 - b. solids
 - c. aqueous species
-

20. Which of the following species can get into the air and cause "acid rain"?

- a. sulfur oxides
 - b. carbon dioxide
 - c. methane
 - d. ozone
 - e. nitrogen
-

Remember to bubble in ALL your answers BEFORE time is called. Double check your name, utetid, and version number before you turn in your bubblesheet. You must keep your exam for future reference. Please do not lose it. We will not replace it.