232.04 231.04 238.03

(237)

(244)

(243)

(247)

(247)

(251)

(252)

(257)

(258)

(259)


(266)

## Exam 3 - F19 - McCord - ch305

1  1   H	]																18 2 He
1.008	2											13	14	15	16	17	4.003
3	4											5	6	7	8	9	10
Li	Be											B	C	N	0	F	Ne
6.941	9.012											10.81	12.01	14.01	16.00		20.18
11 Na	12 Mg											13 Al	<sup>14</sup> Si	15 P	16 S	17 CI	18 Ar
22.99	24.31	3	4	5	6	7	8	9	10	11	12	26.98	28.09	-		35.45	39.95
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	⁺   Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.10	40.08	44.96	47.87				_		58.69	63.55	65.38	69.72	72.64				83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52 T-	53	54
Rb	Sr	Y	Zr	Nb			Ru		Pd	Ag		In	Sn		Te		Xe
85.47	87.62	88.91	91.22	92.91	95.94	4 (98)	101.0	7 102.91		107.87				1 121.70	5 127.60	126.90	131.29
55		57	72	72	74	75	76	77	70	70	00	01	00	02	01	95	90
55	56	57	72 Hf	73 Та	74	75 Ro	76	77 Ir	78 Pt	79 <b>Δ</b> 11	80 Ha	81 TI	82	83 Bi	84 Po	85 Δt	86 Rn
Cs	<sup>56</sup> Ba	La	Hf	Ta	W	Re	Os	s Ir	Pt	Au	Hg	TI	Pb	Bi	Po	At	Rn
<b>Cs</b> 132.91	56 Ba 137.33	La 138.91		9 180.9	5 183.8	4 186.21	Os 190.2	s Ir 3 192.22	Pt 195.08	Au 196.97	Hg 200.59	204.38	Pb 207.20	D 208.98	PO (209)	At (210)	<b>Rn</b> (222)
Cs 132.91 87	56 Ba <sup>137.33</sup> 88	La 138.91 89	Hf 178.49	9 180.9 105	5 183.8 106	4 186.21 107	Os 190.2 108	s Ir 3 192.22 109	Pt 195.08 110	Au 196.97	Hg 200.59	TI 204.38 113	Pb	Bi 208.98 115	PO 3 (209) 116	At (210) 117	Rn (222) 118
<b>Cs</b> 132.91	56 Ba 137.33	La 138.91	Hf 178.49	9 180.9 105 Db	5 183.8 106 Sg	4 186.21 107 I Bh	Os 190.2	s Ir 3 192.22 109 Mt	Pt 195.08	Au 196.97	Hg 200.59	204.38	Pb 207.20 114	Bi 208.98 115 MC	PO 3 (209) 116	At (210)	<b>Rn</b> (222)
Cs 132.91 87 Fr	56 Ba <sup>137.33</sup> 88 Ra	La 138.91 89 Ac	Hf 178.49 104 Rf	9 180.9 105 Db	5 183.8 106 Sg	4 186.21 107 I Bh	Os 190.2 108 Hs	s Ir 3 192.22 109 Mt	Pt 195.08 110 Ds	Au 196.97 111 Rg	Hg 200.59 112 Cn	TI 204.38 113 Nh	Pb 207.20 114 Fl	Bi 208.98 115 MC	Po (209) 116 Lv	At (210) 117 Ts	Rn (222) 118 Og
Cs 132.91 87 Fr	56 Ba <sup>137.33</sup> 88 Ra	La 138.91 89 AC (227)	Hf 178.49 104 Rf (267)	9 180.9 105 Db (268)	W 5 183.8 106 SC 0 (269	4 186.21 107 I Bh (270)	Os 190.2 108 Hs (270)	s Ir 3 192.22 109 Mt (278)	Pt 195.08 110 Ds	Au 196.97 111 Rg (282)	Hg 200.59 112 Cn (285)	TI 204.38 113 Nh (286)	Pb 207.20 114 Fl (289)	Bi 208.99 115 MC (290)	PO (209) 116 LV (293)	At (210) 117 Ts	Rn (222) 118 Og
Cs 132.91 87 Fr	56 Ba <sup>137.33</sup> 88 Ra	La 138.91 89 AC (227)	Hf 178.49 104 Rf (267)	9 180.9 105 Db (268)	W 5 183.8 106 SC 0 (269	4 Re 186.21 107 Bh (270) 61	Os 190.2 108 Hs (270)	<ul> <li>Ir</li> <li>192.22</li> <li>109</li> <li>Mt</li> <li>(278)</li> </ul>	Pt 195.08 110 Ds (281) 64 6	Au 196.97 111 Rg (282) 5 6	Hg 200.59 112 Cn (285)	TI 204.38 113 Nh (286)	Pb 207.20 114 Fl (289)	Bi 208.99 115 MC (290)	PO (209) 116 LV (293)	At (210) 117 Ts (294)	Rn (222) 118 Og
Cs 132.91 87 Fr	56 Ba <sup>137.33</sup> 88 Ra	La 138.91 89 AC (227) 5	Hf 178.44 104 Rf (267) 8 Ce 40.12	59 140.91 105 Db (268) 59 Pr 140.91	5 183.8 106 SC (269 60 Nd 144.24	A Re 186.21 107 Bh (270) 61 Pm (145)	Os 190.2 108 Hs (270) 62 Sm 150.36	<ul> <li>Ir</li> <li>192.22</li> <li>109</li> <li>Mt</li> <li>(278)</li> </ul>	Pt 195.08 110 DS (281) 64 64 6 Gd 157.25	Au 196.97 111 Rg (282) 5 5 58.93	Hg 200.59 112 Cn (285) 66 Dy 162.50	TI 204.38 113 Nh (286) 67 HO 164.93	Pb           207.20           114           FI           (289)           68           Er           167.26	Bi 208.99 115 MC (290) 69 Tm 168.93	PO (209) 116 LV (293) 70 Yb 173.04	At (210) 117 TS (294) 71 LU 174.97	Rn (222) 118 Og
Cs 132.91 87 Fr	56 Ba <sup>137.33</sup> 88 Ra	La 138.91 89 AC (227) 5 ( 1 9	Hf 178.44 104 Rf (267) 8 Ce 40.12	59 140.91 105 Db (268) 59 Pr 140.91	5 183.8 106 SC (269 60 Nd 144.24	A Re 186.21 107 Bh (270) 61 Pm (145)	Os 190.2 108 Hs (270) 62 Sm 150.36	Ir           3         192.22           109         Mt           0         (278)           63         6           Eu         151.96           95         \$	Pt 195.08 110 Ds (281) 64 64 66 66 157.25 1 96 9	Au 196.97 111 Rg (282) 5 5 58.93	Hg 200.59 112 Cn (285) 66 Dy 162.50	TI 204.38 113 Nh (286) 67 HO 164.93	Pb           207.20           114           FI           (289)           68           Er           167.26	Bi 208.99 115 MC (290) 69 Tm 168.93	PO (209) 116 LV (293) 70 Yb 173.04	At (210) 117 Ts (294) 71 Lu	Rn (222) 118 Og

This exam should have exactly 20 questions. Each question is equally weighted at 5 points each. Bubble in your answer choices on the bubblehseet provided. Your score is based on what you bubble on the bubblesheet and not what is circled on the exam.

1. (Part 1 of 4) Acetyl coenzyme A is a chemical with a wide range of uses in metabolic process in the body. Consequently, it has a ton of functional groups. Use this molecule for the next four questions.



What is the functional group labeled A?

- a. amine
- b. amide
- c. alcohol
- d. ketone
- e. carboxylic acid
- f. aldehyde

2. (Part 2 of 4) What is the functional group labeled B?

- a. amine
- b. amide
- c. alcohol
- d. ketone

e. carboxylic acid

f. aldehyde


**3.** (Part 3 of 4) What is the functional group labeled C? Note: C is pointing to the full group that contains the oxygen, carbon, and nitrogen.

- a. amine
- b. amide
- c. alcohol
- d. ketone
- e. carboxylic acid
- f. aldehyde

**4.** (Part 4 of 4) What is the functional group labeled D?

- a. amine
- b. amide
- c. alcohol
- d. ketone
- e. carboxylic acid
- f. aldehyde

5. What is the chemical formula for the following molecule?



a.  $C_5H_5N_5O$ 

b.  $C_4H_2N_5O$ 

c.  $C_5H_2N_3O$ 

d.  $C_7H_2N_4O$ 

e.  $C_7H_5N_5O$ 

6. Which of the following functional groups contain a carbonyl group?

I. ketone

II. aldehyde

III. alcohol


IV. carboxylic acid

- a. I, II, and IV
- b. I, III, and IV
- c. I and IV

d. II and IV

e. I, II, III, and IV

7. What are three functional groups found in the molecule below?



- a. nitrile, primary alcohol, aldehyde
- b. secondary amine, primary alcohol, aldehyde
- c. primary amine, ester, primary alcohol
- d. primary amine, carboxylic acid, ether
- e. secondary amine, ketone, ether

8. An elimination reaction beginning with chloroethane,  $CH_3CH_2Cl$ , produces HCl and...

- a. ethene,  $H_2C=CH_2$
- b. ethyne,  $\mathrm{HC}{\equiv}\mathrm{CH}$
- c. dichloroethene, CHCl=CHCl
- d. dichloroethane, CHCl-CHCl

**9.**  $CH_3CH_2CH_2Br$  reacts with HCl to form  $CH_3CH_2CH_2Cl$  and HBr. What type of organic reaction is this?

- a. substitution
- b. elimination
- c. condensation
- d. rearrangment
- e. addition


10. Bromine liquid is exposed to radiation and breaks into two identical bromine radicals. This is an example of...

- a. homolytic cleavage
- b. heterolytic cleavage
- c. homonuclear fusion
- d. condensation
- e. homoisomeric cleavage

11. Which step of the addition mechanism will create a free radical on a growing polymer chain?

- a. initiation
- b. propagation
- c. termination
- d. elimination
- e. substitution

12. The molecule shown below is terephthalic acid, which will create a polymer with ethylene glycol. In the condensation reaction, which bond will break when the mechanism produces water?



- a. X
- b. Y
- c. R
- d. Z

13. Which of the following plastics is NOT formed by an addition mechanism?

- a. Low density polyethylene (LDPE)
- b. High density polyethylene (HDPE)
- c. Polyvinyl chloride (PVC)
- d. Polypropylene (PP)
- e. Polystyrene (PS)
- f. Polyethylene terephthalate (PET)

14. Polyethylene can be fashioned into strong milk containers and flimsy plastic bags. Which particular type of polyethylene is used to make a plastic bags and why?

- a. high density polyethylene because it is more branched
- b. low density polyethylene because it is more branched
- c. high density polyethylene because it a linear polymer
- d. low density polyethylene because it is a linear polymer

15. Plumbing pipes are commonly made from...

- a. low density polyethylene (LDPE)
- b. high density polyethylene (HDPE)
- c. polyvinyl chloride (PVC)
- d. polypropylene (PP)
- e. polystyrene (PS)
- f. polyethylene terephthalate (PET)

16. Five of the Big 6 plastics are all either composed or direct substitutions of which monomer?

- a.  $H_2C=CH_2$
- b.  $HC\equiv CH$
- c. CHCl=CHCl
- d. CHCl-CHCl
- e.  $H_2C = CHCl$

17. Which of the following is a set of two sugar-based polymers?

- a. cellulose and starch
- b. wool and silk
- c. cellulose and PET
- d. wool and rubber
- e. starch and PET

18. Which of the following is a copolymer with a very high melting point that is used to produce both pistol frames and guitar strings?

- a. silk
- b. bakelite
- c. nylon
- d. polypropylene
- e. teflon

19. Which two functional groups are present on all monomers that make up proteins?

- a. amine and carboxylic acid
- b. nitrile and carboylic acid
- c. amine and ester
- d. nitrile and alcohol
- e. carboxylic acid and alcohol

20. Which feature differentiates RNA nucleotides and allows them to code for the production of different proteins?

- a. the nitrogenous base
- b. the phosphate group
- c. the deoxyribose sugar
- d. the ribose sugar
- e. the R-group

Remember to bubble in ALL your answers BEFORE time is called. Double check your name, uteid, and version number before you turn in your bubblesheet. You must keep your exam for future reference. Please do not lose it. We will not replace it.