

last name

first name

uteid

signature

1 1 H 1.008																	2 2 He 4.003
3 Li 6.941	4 Be 9.012											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31											13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.87	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.64	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.60	53 I 126.90	54 Xe 131.29
55 Cs 132.91	56 Ba 137.33	57 La 138.91	72 Hf 178.49	73 Ta 180.95	74 W 183.84	75 Re 186.21	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.38	82 Pb 207.20	83 Bi 208.98	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (267)	105 Db (268)	106 Sg (269)	107 Bh (270)	108 Hs (270)	109 Mt (278)	110 Ds (281)	111 Rg (282)	112 Cn (285)	113 Nh (286)	114 Fl (289)	115 Mc (290)	116 Lv (293)	117 Ts (294)	118 Og (294)

58 Ce 140.12	59 Pr 140.91	60 Nd 144.24	61 Pm (145)	62 Sm 150.36	63 Eu 151.96	64 Gd 157.25	65 Tb 158.93	66 Dy 162.50	67 Ho 164.93	68 Er 167.26	69 Tm 168.93	70 Yb 173.04	71 Lu 174.97
90 Th 232.04	91 Pa 231.04	92 U 238.03	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (266)

constants

$R = 0.08206 \text{ L atm/mol K}$

$R = 8.314 \text{ J/mol K}$

$N_A = 6.022 \times 10^{23} / \text{mol}$

$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$

$c = 3.00 \times 10^8 \text{ m/s}$

$F = 96485 \text{ C/mol e}^-$

$e = 1.602 \times 10^{-19} \text{ C}$

$m_e = 9.11 \times 10^{-31} \text{ kg}$

Rydberg Constants

$\mathcal{R} = 2.18 \times 10^{-18} \text{ J}$

$\mathcal{R} = 3.29 \times 10^{15} \text{ s}^{-1}$

$\mathcal{R} = 1.097 \times 10^7 \text{ m}^{-1}$

conversions

$1 \text{ atm} = 760 \text{ torr}$

$1 \text{ atm} = 101325 \text{ Pa}$

$1 \text{ atm} = 1.01325 \text{ bar}$

$1 \text{ atm} = 14.7 \text{ psi}$

$1 \text{ bar} = 10^5 \text{ Pa}$

$1 \text{ in} = 2.54 \text{ cm}$

$1 \text{ mi} = 5280 \text{ ft}$

$1 \text{ \AA} = 10^{-10} \text{ m}$

$1 \text{ lb} = 453.6 \text{ g}$

$1 \text{ ton} = 2000 \text{ lbs}$

$1 \text{ tonne} = 1000 \text{ kg}$

$1 \text{ gal} = 3.785 \text{ L}$

$1 \text{ gal} = 231 \text{ in}^3$

$1 \text{ fl oz} = 29.57 \text{ mL}$

conversions

$1 \text{ cal} = 4.184 \text{ J}$

$1 \text{ eV} = 1.602 \times 10^{-19} \text{ J}$

$1 \text{ kWh} = 3600 \text{ J}$

water data

$C_{s,\text{ice}} = 2.09 \text{ J/g } ^\circ\text{C}$

$C_{s,\text{water}} = 4.184 \text{ J/g } ^\circ\text{C}$

$C_{s,\text{steam}} = 2.03 \text{ J/g } ^\circ\text{C}$

$\rho_{\text{water}} = 1.00 \text{ g/mL}$

$\rho_{\text{ice}} = 0.9167 \text{ g/mL}$

$\rho_{\text{seawater}} = 1.024 \text{ g/mL}$

$\Delta H_{\text{fus}} = 334 \text{ J/g}$

$\Delta H_{\text{vap}} = 2260 \text{ J/g}$

$K_w = 1.0 \times 10^{-14}$

This exam should have exactly 25 questions. Each question is equally weighted at 4 points each. You will enter your answer choices on the virtual bubbleseet after you have finished. Your score is based on what you submit on the virtual bubblesheet and not what is circled on the exam.

---

---

1. Four covalent bonds all involving carbon are listed below. Which one is the most polar in character?

- a. C — F
- b. C — N
- c. C — C
- d. C — O
- e. C — H

**Explanation:** F (fluorine) is the most electronegative element which means the C — F bond is the most polar.

---

2. Which element listed below has the smallest value for ionization energy?

- a. Cl
- b. I
- c. Br
- d. F
- e. He

**Explanation:** Ionization energy decreases down a group as the valence shell becomes further and further from the nucleus of the atom and in turn the valence electrons become easier to remove. Thus, iodine (I) would have the lowest ionization energy.

---

3. HBr is a gas that when dissolved in water makes a very strong acid solution. What type of compound is this?

- a. ionic compound
- b. covalent compound

**Explanation:** H and Br are both non-metals. They form a covalent bond which means a covalent compound.

---

4. Television station KXAN in Austin is known as channel 36. That is in the UHF portion of communication frequencies. To be more specific, their video signal is on a carrier frequency of 603.25 MHz. Which of the following is the matching wavelength for this electromagnetic radiation?

- a. 497  $\mu\text{m}$
- b. 49.7 cm
- c. 4.97 m
- d. 20.8 cm
- e. 2.08 m

**Explanation:** Use  $\lambda = c/\nu$

$$= 3 \times 10^8 / 603.25 \times 10^6 = 0.497 \text{ m} = 49.7 \text{ cm}$$

---

5. Rank the following from smallest to largest atomic radius:

N, Ca, Cs, Sr, F

- a. F < Ca < N < Sr < Cs
- b. F < N < Cs < Sr < Ca
- c. Sr < N < F < Cs < Ca
- d. F < N < Ca < Sr < Cs
- e. Cs < Sr < Ca < N < F

**Explanation:** Atomic radius increases toward the bottom left of the periodic table, corresponding to the order: F < N < Ca < Sr < Cs.

---

6. The following species are isoelectronic. Select the atom or ion that will have the largest radius.

- a.  $\text{Ca}^{2+}$
- b.  $\text{S}^{2-}$
- c. Ar
- d.  $\text{Cl}^-$
- e.  $\text{K}^+$

**Explanation:** Anions becomes larger with the addition of each electron due to electron repulsions in the valence shell. In this isoelectronic series, the sulfur ion has two extra electrons.

7. What orbital property is the angular momentum quantum number ( $\ell$ ) associated with?

- a. distance from nucleus
- b. electron spin
- c. valence shell
- d. shape
- e. orientation in space

**Explanation:**  $\ell$  represents the shape of the orbital, as determined by the angular nodes. The other answer choices are all associated with specific quantum numbers.

8. Suppose X stands for a particular element on the periodic table. Select the atom or ion that will have the largest radius.

- a. X
- b.  $\text{X}^-$
- c.  $\text{X}^{2-}$
- d.  $\text{X}^{2+}$
- e.  $\text{X}^+$

**Explanation:** Anions becomes larger with the addition of each electron due to electron repulsions in the valence shell. The ion with the greatest negative charge will have the largest radius.

9. It takes light with a frequency of approximately  $2.687 \times 10^{15}$  Hz to break the triple bond between carbon and oxygen in carbon monoxide. Calculate the energy (in kJ/mol) necessary to break one mole of carbon-oxygen triple bonds.

- a.  $4.455 \times 10^{-17}$  kJ/mol
- b.  $1.780 \times 10^{-18}$  kJ/mol
- c. 945.2 kJ/mol
- d. 1072 kJ/mol
- e. 687.2 kJ/mol

**Explanation:**  $E = h\nu = (6.626 \times 10^{-34})(2.687 \times 10^{15})$

Next scale up by multiplying energy by  $N_A$  and divide by 1000 to convert from J/mol to kJ/mol:

$$1072 \text{ kJ/mol} = E \times (6.022 \times 10^{23}) \times \frac{1 \text{ kJ}}{1000 \text{ J}}$$

10. You meet Hank Hill, who sells propane and propane accessories. He asks if you, a chemistry student, can tell him the chemical formula of propane.

- a.  $\text{C}_3\text{H}_8$
- b.  $\text{C}_4\text{H}_{10}$
- c.  $\text{C}_4\text{H}_8$
- d.  $\text{C}_3\text{H}_6$
- e.  $\text{C}_2\text{H}_6$

**Explanation:** This is a pure nomenclature problem. Propane is the third alkane, corresponding to 3 carbons. The generic formula for all alkanes is  $\text{C}_n\text{H}_{2n+2}$ .

11. A common oxidizing agent is  $\text{KMnO}_4$ . What is the name of this oxidizer?

- a. potassium magnesium tetraoxide
- b. potassium manganese oxide
- c. sodium manganate
- d. calcium manganous peroxide
- e. potassium permanganate

**Explanation:** potassium permanganate which is a combo of potassium ion,  $\text{K}^+$ , and permanganate ion,  $\text{MnO}_4^-$ .

12. Identify the set that contains ONLY ionic compounds.

- a.  $\text{CuCl}_2$ ,  $\text{NaCl}$ ,  $\text{HClO}_3$
- b.  $\text{CaCl}_2$ ,  $\text{HI}$ ,  $\text{H}_2\text{O}$
- c.  $\text{CH}_3\text{CH}_2\text{OH}$ ,  $\text{Al}_2\text{O}_3$ ,  $\text{CH}_4$
- d.  $\text{HCl}$ ,  $\text{AgCl}$ ,  $\text{Al}_2\text{O}_3$
- e.  $\text{NaBr}$ ,  $\text{Fe}_2\text{O}_3$ ,  $\text{CaCl}_2$

**Explanation:** Look for a metal bonded to a nonmetal. Remember that hydrogen is not a metal, even though it is positioned in the top left of the periodic table. The correct set is:  $\text{NaBr}$ ,  $\text{Fe}_2\text{O}_3$ ,  $\text{CaCl}_2$ .

---

13. Which of the following is the correct name for  $\text{FeCl}_3$ ?

- a. fluorine trichloride
- b. iron(III) chloride
- c. iron(IV) chlorite
- d. iron trichloride
- e. iron(III) chlorate

**Explanation:** iron(III) chloride

---

14. What is the electron configuration of Bismuth (Bi)?

- a.  $[\text{Rn}]6p^3$
- b.  $[\text{Xe}]6s^26p^3$
- c.  $[\text{Xe}]6s^24f^{14}5d^{10}6p^3$
- d.  $[\text{Rn}]7s^25f^{14}6d^{10}7p^3$
- e.  $[\text{Xe}]6s^25d^{10}6p^3$
- f.  $6s^24f^{14}5d^{10}6p^3$

**Explanation:** Electronic configurations can be abbreviated using the noble gases on the periodic table to represent full valence shells. In the case of Bi, the closest previous noble gas is Xe. After the abbreviation, the electronic configuration is filled in by moving from left to right across the periodic table, taking care to not skip over the f-block elements.

---

15. Which element has the largest atomic radius?

- a. Br
- b. Ar
- c. Sb
- d. P
- e. S

**Explanation:** Atomic radii increase moving down a group(column) on the periodic table and decrease moving to the right across a period(row) on the periodic table. Moving down a row results in a larger increase in atomic radius than moving over 1 element to the left because moving down represents gaining an additional shell of electrons. Moving to the left just eases the contraction that occurs by having an additional electron in the valence shell interacting with the nucleus.

---

16. I know one of the following lengths is the actual radius of a nickel atom. Which one is it?

- a. 0.0145 mm
- b. 0.145  $\mu\text{m}$
- c. 145 pm
- d. 14.5 Å
- e. 1.45 nm

**Explanation:** The whole range of atomic radii is about 50-300 pm.

---

17. Household bleach contains sodium hypochlorite, what is the corresponding chemical formula?

- a.  $\text{Na}_2\text{ClO}$
- b.  $\text{NaClO}_2$
- c.  $\text{NaClO}$
- d.  $\text{Na}(\text{ClO})_2$
- e.  $\text{NaClO}_3$

**Explanation:** Hypochlorite is the polyatomic ion  $\text{ClO}^-$ . To answer this question correctly, you also need to remember it has a -1 charge and that sodium always has a +1 charge as do all the alkali metals (group 1).

---

18. What is the correct formula for magnesium sulfate?

- a.  $\text{Mg}_2\text{SO}_3$
- b.  $\text{MgS}$
- c.  $\text{Mg}(\text{SO}_4)_2$
- d.  $\text{MgSO}_4$
- e.  $\text{Mg}(\text{SO}_3)_2$

**Explanation:** Magnesium ion is  $\text{Mg}^{2+}$  and sulfate is  $\text{SO}_4^{2-}$  which means they match up in a 1:1 ratio as  $\text{MgSO}_4$ .

---

19. When we say that two species are isoelectronic with each other, this means that

- a. they share the same group on the periodic table
- b. they have the same exact electron configurations
- c. they have the same charge as ions
- d. they are on the same row of the periodic table
- e. they have the same number of protons

**Explanation:** Isoelectronic means the species have the same exact electron configurations. For common monatomic ions, that electron configuration matches one of the noble gas elements.

---

20. Which color of visible light corresponds to the highest frequency?

- a. Red
- b. Orange
- c. Yellow
- d. Blue
- e. Green

**Explanation:** Blue light is the high energy end of the visible light spectrum. Since higher energy positively correlates with higher frequency, blue light is the high frequency end of the visible light spectrum as well.

---

21. What is the electron configuration for the bromide ion ( $\text{Br}^-$ )?

- a.  $[\text{Ar}]4s^24p^4$
- b.  $[\text{Ar}]4s^23d^{10}4p^4$
- c.  $[\text{Ar}]4s^23d^{10}4p^6$
- d.  $[\text{Kr}]4s^24d^{10}4p^4$
- e.  $[\text{Ar}]4s^24d^{10}4p^6$

**Explanation:** Begin at  $[\text{Ar}]$  and include only the electrons that fill after. This will include the 3d electrons and the one extra electron for the negative charge:  $[\text{Ar}]4s^23d^{10}4p^6$

---

22. Which of these ionic compounds has the lowest theoretical lattice energy?

- a.  $\text{CaO}$
- b.  $\text{NaBr}$
- c.  $\text{KBr}$
- d.  $\text{CaCl}_2$
- e.  $\text{MgCl}_2$

**Explanation:** The lowest lattice energy will involve the lowest charges and the largest radius. First, you can identify that  $\text{KBr}$  and  $\text{NaBr}$  have the lowest charges (+1/-1). Then  $\text{KBr}$  has the larger radius, making it weaker.

---

23. Which set of p orbitals below has been filled correctly? (they all have 4 electrons)

- a.  $\uparrow\downarrow \quad \uparrow \quad \uparrow$
- b.  $\uparrow\downarrow \quad \uparrow\downarrow \quad \_$
- c.  $\uparrow\downarrow \quad \downarrow \quad \uparrow$
- d.  $\uparrow\uparrow \quad \uparrow \quad \uparrow$

**Explanation:** According to Hund's Rule, you fill singly before pairing begins. Also you must match the spin state when you do fill singly. So the first 3 electrons go in separate orbitals and they all have up spin (+1/2). The fourth electron pairs with the first and has down spin (-1/2).

---

24. Which subshell contains an electron with the following quantum number set?

$$n = 4, \quad \ell = 2, \quad m_\ell = 0, \quad m_s = \frac{1}{2}$$

- a. 3s
- b. 3d
- c. 4d
- d. 4p
- e. 4f
- f. 3p
- g. 4s

**Explanation:** The subshell is determined by the  $n$  and  $\ell$  values.  $n = 4$  and  $\ell$  provides the shape, which is d when  $\ell = 2$ .

---

25. How many joules of energy are in one photon that has a wavelength of 166 nm?

- a.  $1.75 \times 10^{-18}$  J
- b.  $1.20 \times 10^{-18}$  J
- c.  $5.25 \times 10^{-19}$  J
- d.  $3.50 \times 10^{-19}$  J
- e.  $1.01 \times 10^{-40}$  J

**Explanation:**  $E = hc/\lambda$

$$= 6.626 \times 10^{-34} (3 \times 10^8) / 166 \times 10^{-9} = 1.2 \times 10^{-18} \text{ J}$$

---

After you are finished and have all your answers circled, go to the front of the room and then use the QR code there to pull up the virtual answer page. Enter the appropriate info plus all your answers - click the SUBMIT button. Make sure you get the confirmation screen and show it to the TA or proctor. After that, turn in your exam and scratch paper. You're free to leave after that.



<https://mccord.cm.utexas.edu/helium>