

| | | | | | | | | | | | | | | | | | | | |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------|--|
| 1 | | | | | | | | | | 18 | | | | | | | | | |
| 1 H 1.008 | | | | | | | | | | | | | | | | | | 2 He 4.003 | |
| 3 Li 6.941 | 4 Be 9.012 | | | | | | | | | | | 5 B 10.81 | 6 C 12.01 | 7 N 14.01 | 8 O 16.00 | 9 F 19.00 | 10 Ne 20.18 | | |
| 11 Na 22.99 | 12 Mg 24.31 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 Al 26.98 | 14 Si 28.09 | 15 P 30.97 | 16 S 32.07 | 17 Cl 35.45 | 18 Ar 39.95 | | |
| 19 K 39.10 | 20 Ca 40.08 | 21 Sc 44.96 | 22 Ti 47.87 | 23 V 50.94 | 24 Cr 52.00 | 25 Mn 54.94 | 26 Fe 55.85 | 27 Co 58.93 | 28 Ni 58.69 | 29 Cu 63.55 | 30 Zn 65.38 | 31 Ga 69.72 | 32 Ge 72.64 | 33 As 74.92 | 34 Se 78.96 | 35 Br 79.90 | 36 Kr 83.80 | | |
| 37 Rb 85.47 | 38 Sr 87.62 | 39 Y 88.91 | 40 Zr 91.22 | 41 Nb 92.91 | 42 Mo 95.94 | 43 Tc (98) | 44 Ru 101.07 | 45 Rh 102.91 | 46 Pd 106.42 | 47 Ag 107.87 | 48 Cd 112.41 | 49 In 114.82 | 50 Sn 118.71 | 51 Sb 121.76 | 52 Te 127.60 | 53 I 126.90 | 54 Xe 131.29 | | |
| 55 Cs 132.91 | 56 Ba 137.33 | 57 La 138.91 | 72 Hf 178.49 | 73 Ta 180.95 | 74 W 183.84 | 75 Re 186.21 | 76 Os 190.23 | 77 Ir 192.22 | 78 Pt 195.08 | 79 Au 196.97 | 80 Hg 200.59 | 81 Tl 204.38 | 82 Pb 207.20 | 83 Bi 208.98 | 84 Po (209) | 85 At (210) | 86 Rn (222) | | |
| 87 Fr (223) | 88 Ra (226) | 89 Ac (227) | 104 Rf (267) | 105 Db (268) | 106 Sg (269) | 107 Bh (270) | 108 Hs (270) | 109 Mt (278) | 110 Ds (281) | 111 Rg (282) | 112 Cn (285) | 113 Nh (286) | 114 Fl (289) | 115 Mc (290) | 116 Lv (293) | 117 Ts (294) | 118 Og (294) | | |

| | | | | | | | | | | | | | |
|--------------------|--------------------|--------------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 58 Ce 140.12 | 59 Pr 140.91 | 60 Nd 144.24 | 61 Pm (145) | 62 Sm 150.36 | 63 Eu 151.96 | 64 Gd 157.25 | 65 Tb 158.93 | 66 Dy 162.50 | 67 Ho 164.93 | 68 Er 167.26 | 69 Tm 168.93 | 70 Yb 173.04 | 71 Lu 174.97 |
| 90 Th 232.04 | 91 Pa 231.04 | 92 U 238.03 | 93 Np (237) | 94 Pu (244) | 95 Am (243) | 96 Cm (247) | 97 Bk (247) | 98 Cf (251) | 99 Es (252) | 100 Fm (257) | 101 Md (258) | 102 No (259) | 103 Lr (266) |

constants

$$R = 0.08206 \text{ L atm/mol K}$$

$$R = 8.314 \text{ J/mol K}$$

$$N_A = 6.022 \times 10^{23} / \text{mol}$$

$$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$$

$$c = 3.00 \times 10^8 \text{ m/s}$$

$$g = 9.81 \text{ m/s}^2$$

conversions

$$1 \text{ atm} = 760 \text{ torr}$$

$$1 \text{ atm} = 101325 \text{ Pa}$$

$$1 \text{ atm} = 1.01325 \text{ bar}$$

$$1 \text{ bar} = 10^5 \text{ Pa}$$

$$^\circ\text{F} = ^\circ\text{C}(1.8) + 32$$

$$\text{K} = ^\circ\text{C} + 273.15$$

conversions

$$1 \text{ in} = 2.54 \text{ cm}$$

$$1 \text{ ft} = 12 \text{ in}$$

$$1 \text{ yd} = 3 \text{ ft}$$

$$1 \text{ mi} = 5280 \text{ ft}$$

$$1 \text{ lb} = 453.6 \text{ g}$$

$$1 \text{ ton} = 2000 \text{ lbs}$$

$$1 \text{ tonne} = 1000 \text{ kg}$$

$$1 \text{ gal} = 3.785 \text{ L}$$

$$1 \text{ gal} = 231 \text{ in}^3$$

$$1 \text{ gal} = 128 \text{ fl oz}$$

$$1 \text{ fl oz} = 29.57 \text{ mL}$$

water data

$$C_{s,\text{ice}} = 2.09 \text{ J/g } ^\circ\text{C}$$

$$C_{s,\text{water}} = 4.184 \text{ J/g } ^\circ\text{C}$$

$$C_{s,\text{steam}} = 2.03 \text{ J/g } ^\circ\text{C}$$

$$\rho_{\text{water}} = 1.00 \text{ g/mL}$$

$$\rho_{\text{ice}} = 0.9167 \text{ g/mL}$$

$$\rho_{\text{seawater}} = 1.024 \text{ g/mL}$$

$$\Delta H_{\text{fus}} = 334 \text{ J/g}$$

$$\Delta H_{\text{vap}} = 2260 \text{ J/g}$$


$$K_w = 1.0 \times 10^{-14}$$

This extra practice set can be used to test your knowledge for the upcoming exam.

1. Which of the following is the main pollutant produced when butane is combusted under oxygen-starved conditions (oxygen is in limited supply)?

- a. CO
 - b. O₃
 - c. NO_x
 - d. H₂O
 - e. CO₂
-

2. When 6 moles of iron are added to 6 moles of oxygen in the following reaction to 100% completion, which species will be present in the final reaction mixture?



- a. Fe₂O₃ only
 - b. Fe and Fe₂O₃
 - c. O₂ and Fe₂O₃
 - d. Fe, O₂, and Fe₂O₃
 - e. Fe and O₂
-

3. Calculate the number of moles of carbon dioxide that are produced when 6.4 moles of methanol (CH₃OH) are burned with 7.8 moles of oxygen gas. You will need to write out the chemical equation and balance it on your own.

- a. 5.2 mol
 - b. 6.4 mol
 - c. 7.2 mol
 - d. 7.8 mol
 - e. 11.7 mol
-


4. A sampling of air is taken in Houston on a typical warm humid day. Although there are many different gases in the sample, which of the following four gases are the top four in terms of percentage in the sample?

- a. H₂O, NO₂, N₂, and O₂
 - b. H₂O, Ar, N₂, and O₃
 - c. H₂O, Ar, N₂, and CO₂
 - d. H₂O, Ar, N₂, and O₂
 - e. H₂O, CO₂, N₂, and O₂
-

5. Which of the following alkanes do you expect to have the largest molecular weight?

- a. pentane
 - b. butane
 - c. heptane
 - d. hexane
 - e. ethane
-

6. Refer to the following balanced chemical reaction for the aqueous extraction of benzocaine, the active ingredient in cough drops and other mild topical anesthetics:



A pharmaceutical company attempts to mass produce cough drops by reacting 5.7 kg benzoate (C₉H₁₁NO₂, molar mass = 144 g/mol) with 5.7 kg nitric acid (HNO₃, molar mass = 63 g/mol). Nitric acid is a very dangerous chemical that should be used with extreme caution. Is this recipe a good idea for mass producing cough drops? Why or why not?

- a. No, there is a dangerous chemical left in the cough drops.
 - b. No, there is excess benzoate left over.
 - c. Yes, there is excess nitric acid but that does not matter.
 - d. Yes, the reactants were added in equal mole amounts so there is no excess reagent.
-

7. What is the percent composition of sodium in sodium dichromate ($\text{Na}_2\text{Cr}_2\text{O}_7$)?

- a. 8.77%
 - b. 23.9%
 - c. 83.3%
 - d. 25.2%
 - e. 17.6%
-

8. There is a formula to figure out the number of carbons and hydrogen for any saturated hydrocarbon. Using this formula, determine the molecular formula of an alkane with 18 carbon atoms.

- a. $\text{C}_{18}\text{H}_{18}$
 - b. $\text{C}_{18}\text{H}_{36}$
 - c. $\text{C}_{18}\text{H}_{20}$
 - d. $\text{C}_{18}\text{H}_{38}$
 - e. $\text{C}_{18}\text{H}_{26}$
-

9. A 40 L flexible container has a pressure of 32 psi. What is the pressure when the container is compressed to 23 L?

- a. 18 psi
 - b. 68 psi
 - c. 63 psi
 - d. 56 psi
 - e. 29 psi
-


10. Nitrogen gas reacts with hydrogen gas to produce ammonia (NH_3). Write the balanced reaction for this process.

- a. $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightarrow 2\text{NH}_3(\text{g})$
 - b. $2\text{N}(\text{g}) + 3\text{H}_2(\text{g}) \rightarrow 2\text{NH}_3(\text{g})$
 - c. $3\text{N}_2(\text{g}) + 6\text{H}_2(\text{g}) \rightarrow 4\text{NH}_3(\text{g})$
 - d. $\text{N}(\text{g}) + 3\text{H}(\text{g}) \rightarrow \text{NH}_3(\text{g})$
 - e. $\text{N}_2(\text{g}) + \text{H}_2(\text{g}) \rightarrow \text{NH}_3(\text{g})$
-

11. How many nitrogen atoms are present in a sample of 1.87 moles of nitrogen gas?

- a. 1.13×10^{24}
 - b. 5.63×10^{23}
 - c. 6.21×10^{-24}
 - d. 2.25×10^{24}
-

12. Consider the balanced chemical reaction shown below:



What is the mass of Al_2O_3 necessary to form 6.00 moles of aluminum solid? The molar mass of Al_2O_3 is 101.96 g/mol.

- a. 556 g
 - b. 459 g
 - c. 204 g
 - d. 306 g
 - e. 408 g
-

13. Which of the following matches the gas in its standard state to its molar mass?

- a. Oxygen, 16.00 g/mol
 - b. Oxygen, 48.00 g/mol
 - c. Helium, 8.00 g/mol
 - d. Nitrogen, 28.02 g/mol
-

14. Approximately 14.78 moles of an unknown metal weighs 398.76 g. What is the identity of this metal?

- a. Fe
 - b. Zn
 - c. Mg
 - d. Cu
 - e. Al
-

15. The gas known as the silent killer is the primary culprit in fatalities caused by the unsafe use of personal generators. This gas is produced by the incomplete combustion of a fuel. What gas is this?

- a. NO_x
 - b. CO
 - c. H_2O_2
 - d. O_3
 - e. CO_2
-

16. Consider the following data for the elevations of four different cities:

Moab, UT: 4,026 ft

Flagstaff, AZ: 6,909 ft

New Orleans, LA: -1,500 ft

Estes Park, CO: 7,522 ft

Which city will have the lowest predicted atmospheric pressure?

- a. Estes Park
 - b. Moab
 - c. Flagstaff
 - d. New Orleans(ℓ)
-

17. In an experimental set up, a scientist places two equal masses of gold and silver into separate beakers with identical starting volumes of water. The density of gold is 19.3 g/cm^3 and the density of silver is 10.5 g/cm^3 . Which beaker will have the greater final volume?

- a. Both beakers will have equal final volumes
 - b. Silver
 - c. Gold
-

18. What is a reasonable estimation for the percent of carbon dioxide in the troposphere?

- a. 66%
 - b. 3%
 - c. 12%
 - d. 40%
 - e. 0.04%
-

19. Which of the following substances do you expect to have the lowest density at room temperature?

- a. $\text{CH}_4(\text{g})$
 - b. $\text{H}_2\text{O}(\ell)$
 - c. Fe(s)
 - d. $\text{CH}_3\text{OH}(\ell)$
 - e. $\text{CH}_3\text{CH}_2\text{OH}(\ell)$
-

20. Which layer of the atmosphere includes the air we actively breathe?

- a. troposphere
 - b. stratopause
 - c. mesosphere
 - d. exosphere
 - e. thermosphere
-

21. Which of the following is a pollutant that is not directly produced by combustion?

- a. O_3
 - b. CO
 - c. NO_x
 - d. CO_2
 - e. H_2O
-

22. Approximately how many oxygen atoms are in 1.11 moles carbon dioxide (CO_2)?

- a. 6.68×10^{23}
 - b. 2.34×10^{24}
 - c. 1.84×10^{-24}
 - d. 1.34×10^{24}
-

23. Which of the following puts into words a true relationship that can be made from the ideal gas law?

- a. pressure and temperature are inversely proportional
 - b. number of moles and volume are directly proportional
 - c. temperature and the ideal gas constant are inversely proportional
 - d. pressure and volume are directly proportional
 - e. temperature and pressure are inversely proportional
-

24. Which of the following best describes the purpose of the mole in chemistry?

- a. The mole is an Avogadro's number worth of elementary entities, which allows scientists to use macroscopic units (g/mol) with the atomic mass values on the periodic table.
 - b. A mole is an arbitrary quantity, but it is easy to use for calculations.
 - c. A molecule is an Avogadro's number worth of moles, which allows scientists to conveniently use amu to measure mass in the lab.
 - d. A molecule is a packet of 6.022×10^{23} moles.
-

25. Which of the following statements is true?

- a. there is a significantly higher percentage of carbon dioxide in an inhale than in an exhale
 - b. there is a significantly higher percentage of carbon dioxide in an exhale than in the atmosphere
 - c. there is a significantly higher percentage oxygen in an exhale than in the atmosphere
-

26. A hot air balloon must be expanded to a volume of 2800 m^3 in order to sustain flight. If a deflated hot air balloon at 298 K occupies 2118 m^3 , what temperature is necessary to inflate the balloon enough to fly?

- a. 225 K
 - b. 309 K
 - c. 273 K
 - d. 591 K
 - e. 394 K
-

27. Which of the following is NOT a task performed by the catalytic converter in your car?

- a. complete the oxidation of CO to CO_2
 - b. help to oxidize remaining volatile organic compounds to CO_2 and H_2O
 - c. convert NO_x to N_2
 - d. convert CO_2 back into gasoline fuel
-

28. Carl was hot and decided to whip up a batch of Kool-Aid. He followed the instructions pouring the packet of Cherry Kool-Aid and a cup of sugar into two quarts of water. A perfect batch - nice and cherry red, everything dissolved nicely. Which of the following is the best description of Carl's cherry Kool-Aid?

- a. It's a heterogeneous mixture.
 - b. It's a compound.
 - c. It's an element.
 - d. It's a homogeneous mixture
 - e. It's a pure substance.
-

29. What best describes the temperature of our atmosphere as altitude increases from sea level to the thermosphere?

- a. The atmospheric temperature steadily decreases.
 - b. The atmospheric temperature steadily increases.
 - c. The atmospheric temperature initially decreases, but reverses trend several times in the pauses between atmospheric layers.
 - d. The atmospheric temperature initially increases, then reverses in the middle of each atmospheric layer.
-

30. Calculate the volume that 3.96 moles of an ideal gas occupies at 2.94 atm and 37°C .

- a. 4.09 L
 - b. 34.3 L
 - c. 35.6 L
 - d. 3110 L
 - e. 311 L
 - f. 45.9 L
-

Remember to bubble in ALL your answers BEFORE time is called. Double check your name, utetid, and version number before you turn in your bubblesheet. You must keep your exam for future reference. Please do not lose it. We will not replace it.