version: 408

Exam 3 - F22 - McCord - ch301n

ast na	me		f	irst na	me		u	teid				signa	ture				
1	_																18
1 H																	2 He
□ 1.008	2											13	14	15	16	17	4.00
3	4											5	6	7	8	9_	10
Li 6.941	Be 9.012											B 10.81	C	N 14.01	O 16.00	F	N 20.
11	12											13	14	15	16	17	18
Na	Mg											AI	Si	P	S	CI	A
22.99	24.31	3	4	5	6	7	8	9	10	11	12	26.98	28.09	30.97	32.07	35.45	39.
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Κ	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	K
39.10	40.08	44.96	47.87	50.94	52.00	54.94	55.85	58.93	58.69	63.55	65.38	69.72	72.64	74.92	78.96	79.90	83
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Те		X
85.47	87.62	88.91	91.22	92.91	95.94	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La	Hf	Та	W	Re	Os	lr	Pt	Au	Hg	TI	Pb	Bi	Po	At	R
132.91	137.33	138.91	178.49	180.95	183.84	186.21	190.23	192.22	195.08	196.97	200.59	204.38	207.20	208.98	(209)	(210)	(22
87	88	89	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	FI	Mc	Lv	Ts	0
(223)	(226)	(227)	(267)	(268)	(269)	(270)	(270)	(278)	(281)	(282)	(285)	(286)	(289)	(290)	(293)	(294)	(29

58	59	60	61	62	63	64	65	66	67	68	69	70	71
Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
140.12	140.91	144.24	(145)	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168.93	173.04	174.97
90	91	92	93	94	95	96	97	98	99	100	101	102	103
Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
232.04	231.04	238.03	(237)	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	(266)

constants
R = 0.08206 L atm/mol K
$R=8.314~{\rm J/mol~K}$
$N_{\rm A} = 6.022 \times 10^{23} \ /{\rm mol}$
$h=6.626\times 10^{-34}~{\rm J\cdot s}$
$c=3.00\times 10^8~{\rm m/s}$
$F = 96485 \text{ C/mol e}^-$
$e = 1.602 \times 10^{-19} \text{ C}$
$m_{\rm e} = 9.11 \times 10^{-31} \ {\rm kg}$
Rydberg Constants
$\mathcal{R} = 2.18 \times 10^{-18} \text{ J}$
$\mathcal{R} = 3.29 \times 10^{15} \text{ s}^{-1}$

 $\mathcal{R} = 1.097 \times 10^7 \text{ m}^{-1}$

1 atm = 760 torr1 atm = 101325 Pa

conversions

1 atm = 1.01325 bar
1 atm = 14.7 psi
$1 \text{ bar} = 10^5 \text{ Pa}$
1 in = 2.54 cm
1 mi = 5280 ft
$1~{\rm \AA}{=}~10^{-10}~{\rm m}$
1 lb = 453.6 g
1 ton = 2000 lbs
1 tonne = 1000 kg
1 gal = 3.785 L
$1 \text{ gal} = 231 \text{ in}^3$
$1~{\rm fl~oz}=29.57~{\rm mL}$

$$\label{eq:conversions} \begin{split} & \frac{\text{conversions}}{1 \, \mathrm{cal} = 4.184 \, \mathrm{J}} \\ & 1 \, \mathrm{eV} = 1.602 \times 10^{-19} \, \mathrm{J} \end{split}$$


 $1~\mathrm{kWh} = 3600~\mathrm{J}$

water data

$C_{\rm s,ice} = 2.09 \text{ J/g °C}$ $C_{\rm s,water} = 4.184 \text{ J/g °C}$ $C_{\rm s,steam} = 2.03 \text{ J/g °C}$ $\rho_{\rm water} = 1.00 \text{ g/mL}$ $\rho_{\rm ice} = 0.9167 \text{ g/mL}$ $\rho_{\rm seawater} = 1.024 \text{ g/mL}$
$\begin{split} C_{\rm s,steam} &= 2.03 ~{\rm J/g~^\circ C} \\ \rho_{\rm water} &= 1.00 ~{\rm g/mL} \\ \rho_{\rm ice} &= 0.9167 ~{\rm g/mL} \\ \rho_{\rm seawater} &= 1.024 ~{\rm g/mL} \end{split}$
$\begin{split} \rho_{\rm water} &= 1.00~{\rm g/mL} \\ \rho_{\rm ice} &= 0.9167~{\rm g/mL} \\ \rho_{\rm seawater} &= 1.024~{\rm g/mL} \end{split}$
$\label{eq:rho_ice} \begin{split} \rho_{\rm ice} &= 0.9167~{\rm g/mL} \\ \rho_{\rm seawater} &= 1.024~{\rm g/mL} \end{split}$
$\rho_{\text{seawater}} = 1.024 \text{ g/mL}$
$\Delta H_{\rm fus} = 334 \ {\rm J/g}$
$\Delta H_{\rm vap} = 2260~{\rm J/g}$
$K_{\rm w}=1.0\times 10^{-14}$

This exam should have exactly 25 questions. Each question is equally weighted at 4 points each. You will enter your answer choices on the virtual bubblehseet after you have finished. Your score is based on what you submit on the virtual bubblesheet and not what is circled on the exam.

1. What are the bond angles at positions labeled A, B, and C (in that order)?



- a. 120°, 120°, 120°
- b. 120°, 109.5°, 109.5°
- •c. 120°, 107°, 104.5°
 - d. 107°, 109.5°, 90°
 - e. 109.5°, 120°, 178°


Explanation: The aldehyde at position A has 3 areas of electron density and no lone pairs, creating a trigonal planar shape with bond angles of 120. The amine at position B has a core tetrahedral electronic geometry around the nitrogen, with 3 bonds and 1 (implied) lone pair. The lone pair squeezes the remaining bond angles to slightly less than 109.5 - meaning we tweak the angle down to 107. Last, the oxygen at position C has two lone pairs as well as the bonds to the carbon and hydrogen atoms. The core tetrahedral geometry is tweaked by the two lone pairs so that the final bent configuration of the C-O-H bond is a double tweak resulting in 104.5.

2. $SeCl_4$ has four bonds and one lone pair. What are the electronic and molecular geometries, respectively?

- a. trigonal planar, tetrahedral
- b. square pyramidal, seesaw
- c. seesaw, square pyramidal
- •d. trigonal bipyramidal, seesaw
- e. seesaw, trigonal bipyramidal


Explanation: A molecule with five total areas of electron density assumes a trigonal bipyramidal electronic geometry. If only one area is a lone pair, you have AX_4E which leaves 4 bonded atoms in a see-saw molecular geometry. The 1 lone pair occupies an equatorial position (allowing maximal bond angles between the lone pair and the adjacent areas of electron density)

3. Which arrow(s) is/are pointing to a central atom with a trigonal planar molecular geometry?



Explanation: When you account for implied hydrogens where necessary, you will see that arrows A, B, and C point to trigonal planar geometries.

4. (Part 1 of 4) How many carbon atoms are in this structure?



Explanation: There are 22 carbons.

5. (Part 2 of 4) That was so much fun, lets now count the hydrogens. How many hydrogens are in this structure.?

- a. 27
- b. 24
- c. 26
- d. 25
- •e. 28
- f. 30

Explanation: There are 28 hydrogens.

6. (Part 3 of 4) There is a marked bond angle. What is the value of that bond angle?

a. 180°

•b. 109.5°

- c. 117°
- d. 120°
- e. 90°

Explanation: That is a C with 2 bonds to other C's and 2 more bonds to implied H's. That is 4 regions which means it is tetrahedral with a bond angle of 109.5° .

7. (Part 4 of 4) The structure doesn't explicitly show any lone pairs, although there are some lone pairs. How many lone pairs are on this molecule?

a. 6

- b. 3
- •c. 4
- d. 2
- e. 5

Explanation: Each of the two N's have 1 LP each. The O has two lone pairs. That is a total of 4 lone pairs. 8. Which substance listed is a polar covalent compound?

- a. KBr
- b. MgI_2
- ●c. CH₃OH
- d. H_2
- e. F_2

Explanation: The only polar covalent molecule listed here is CH_3OH . The KBr and the MgI₂ are both ionic compounds.

9. Which of the following is not capable of hydrogen bonding?

- a. H_2O
- b. HF
- c. $CH_3CH_2NH_2$
- d. CH₃CH₂CH₂OH
- •e. CH_3CH_2F

Explanation: CH_3CH_2F is the only option which does not have a hydrogen bound to one of the 3 most electronegative elements: N, O, F. An H bound to one of these atoms is necessary to hydrogen bond.

10. Chlorofluorocarbons (CFC) use as refrigerants has impacted the environment because they...

- a. depleted ozone at ground level via direct reaction.
- b. provided the source of the catalyst that causes ozone depletion.
- c. inadvertently caused an increase in carbon monoxide which is a toxic pollutant.
- d. rapidly cooled down the air due to their thermal properties.
- e. were toxic when inhaled in small quantities.

Explanation: CFC use has impacted the environment because they produce chlorine atoms which act as catalysts in ozone depletion.

11. Draw ozone and then determine which of the following statements is/are true.

I. ozone has a trigonal planar electronic geometry

II. the bond angles in ozone are approximately 109.5°

III. the bonds in ozone are weaker than the bond angles in diatomic oxygen

IV. ozone has a bent molecular geometry

a. I and III

•b. I, III, and IV

c. I and IV

d. I, II, III, and IV

e. I, II, and IV

Explanation: The ozone molecule is a resonant structure with a bond order equal to about 1.5, which will result in weaker bonds than oxygen. The structure has a trigonal planar electronic geometry and a bent molecular geometry. The bond angles are slightly less than 120° .

12. One of the best properties of refrigerants (freons) used in the previous century seemed "good". Later, we found that property to actually be somewhat "bad". What is that property?

a. highly polar

b. adsorbers of CO_2

c. great heat exchangers

• d. relative inertness

Explanation: Inertness. They stayed in the atmosphere for years and years. This allowed them to easily reach the ozone layer and begin to react and initiate ozone depletion.

13. Why are HFCs, the newest refrigerants in use, considered unsustainable?

a. HFCs emit harmful UV radiation.

b. HFCs are cooling down the ozone layer.

•c. HFCs are extremely potent greenhouse gases.

d. HFCs are rapidly depleting the ozone layer.

Explanation: The current concern with HFCs is that they are potent greenhouse gases, even though they do not negatively impact the ozone layer like HCFCs and CFCs.

14. A molecule has three bonds and three lone pairs. What is the molecular geometry?

- •a. T-shape
- b. trigonal planar
- c. octahedral
- d. trigonal pyramid
- e. see-saw

Explanation: This will be a T-shaped molecular geometry because it is AX_3E_3 which is octahedral electronic geometry with 3 positions removed (lone pairs).

15. Which of the following molecules can readily absorb IR radiation?

I. Ar

II. O_2

III. CO_2

 $\mathrm{IV.}\ \mathrm{CH}_2\mathrm{F}_2$

a. I, II, and IV

- b. I and IV
- •c. III and IV
 - d. I, II, III, and IV
 - e. I and III

Explanation: Carbon dioxide and HFCs are greenhouse gases capable of absorbing IR radiation.

- 16. What is the molecular geometry for NBr_3 ?
- a. trigonal planar
- b. tetrahedral
- c. octahedral
- d. trigonal pyramid
- e. T-shape

Explanation: The nitrogen will have three bonds and one lone pair. This will be a trigonal pyramidal molecular geometry.

17. What is the product of the ozone-depleting mechanism that allows one chlorine atom to destroy around 100,000 ozone molecules in the stratosphere?

- a. chlorine gas
- b. ozone
- c. a chlorine radical
- d. oxygen gas

Explanation: The chlorine radical is a catalyst for the depletion of ozone. It is both a reactant and a product of the ozone-depleting mechanism.

18. The overall energy exchange of our earth with the surrounding universe is and example of ______.

- a. static equilibrium
- b. electric potential
- c. the Chapman Cycle
- •d. dynamic equilibrium

Explanation: The earth has equal amounts of energy IN and OUT. But the energy is in constant flux which means there is a dynamic equilibrium constantly in play. (see notes from 10/20).

19. Which of the following is a reason why greenhouse gases are important to our ecosystems?

- a. The planet would be much warmer without greenhouse gases.
- b. Greenhouse gases account for the majority of our atmosphere.
- c. Greenhouse gases absorb about 99% of the total radiation from the sun.
- •d. Without greenhouse gases, global temperatures would average around -15° C.

Explanation: Greenhouse gases make up a minuscule fraction of our atmosphere, but without them, global temperatures would be much colder.

20. When comparing N_2 and Cl_2 , does N_2 have a longer or shorter bond length, a stronger or weaker bond, and is it more or less stable than Cl_2 ?

- a. shorter, stronger, less stable
- b. longer, weaker, more stable
- c. shorter, weaker, less stable
- d. longer, stronger, more stable
- e. longer, weaker, less stable
- •f. shorter, stronger, more stable


Explanation: N_2 has a bond order of 3, while Cl_2 only has a bond order of 1. Higher bond order corresponds to shorter bonds, stronger bonds, and more stable bonds.

21. Which of the following best describes the bonds in the hybrid resonance structure for nitrite, NO_2^- ?

- a. a single N-O bond and a double O-O bond resonating back and forth
- b. two N-O single bonds
- c. a single N-O bond and a double N-O bond resonating back and forth
- •d. two N-O 1.5 bonds

Explanation: NO_2^- is a resonant structure consisting of N-O bonds that have an average 1.5 bond order.

22. What is the formal charge on nitrogen for the nitrate resonance structure shown below?



Explanation: FC = valence electrons - (bonds + lone pair electrons)

+1 = 5 - 4

23. Carbon dioxide has a carbon-oxygen double bond. Carbon monoxide has a carbon-oxygen triple bond. Which of the following statements is true?

- •a. the bonds in carbon monoxide are stronger and shorter than the bonds in carbon dioxide
- b. the bonds in carbon monoxide are stronger and longer than the bonds in carbon dioxide
- c. the bonds in carbon monoxide are weaker and shorter than the bonds in carbon dioxide
- d. the bonds in carbon monoxide are weaker and longer than the bonds in carbon dioxide

Explanation: A triple bond is stronger and shorter than a double bond.

24. What is the molecular geometry of ${\rm Br} {\rm F}_5?$ (Hint: it has one lone pair)

a. tetrahedral

- b. trigonal bipyramid
- c. square planar
- •d. square pyramid
- e. octahedral

Explanation: BrF_5 has 5 bonds and one lone pair. This points to square pyramid geometry. 25. Catalysts have a whole set of properties. Which of the following is the MAIN thing that catalysts do for chemical reactions?

- a. make them reverse in direction
- b. make them emit radiation
- c. stop them
- d. make more limiting reactants
- •e. speed them up

Explanation: All catalysts speed up reactions.

After you are finished and have all your answers circled, go to the front of the room and then use the QR code there to pull up the virtual answer page. Enter the appropriate info plus all your answers - click the SUBMIT button. Make sure you get the confirmation screen and show it to the TA or proctor. After that, turn in your exam and scratch paper. You're free to leave after that.



https://mccord.cm.utexas.edu/helium

* * * Remember your Version Number * * *